2009 Laundry

MAYTAG

Built Strong to Last Long

When it comes to appliances, if it doesn't have a steadfast record of strength and performance—it isn't worth the materials from which it was formed. That's why every shirt you wash and every blanket you dry in a Maytag® laundry pair becomes a perfect example of proven performance. Built with Maytag® Commercial Technology (MCT), select washers and dryers feature long-lasting, commercial-grade components for your home.
That's quality you can count on.

Contents

New High-Efficiency Top Load Laundry Pairs 4

High-Efficiency Front Load Laundry Pairs 10

New Top Load Laundry Pairs 16

Specialty Laundry 20

Laundry 1-2-3™ Custom Laundry Options 24

Feature Definitions 26

Accessories 28

Specifications 29

Cover Models: MVWB850WR & ME/GDB850WR

Pick the pair that meets your needs

High-Efficiency Top Load Laundry Pairs

- Maytag® Commercial Technology (MCT)
- Steam-enhanced cycles in select dryers
- Maytag brand's largest capacity washer
- Lids and doors with commercial-grade glass windows on select washers and dryers
- All washers are ENERGY STAR® qualified

High-Efficiency Front Load Laundry Pairs

- Maytag® Commercial Technology (MCT) in select washers and dryers
- Steam-enhanced cycles in select washers and dryers
- Generous capacity for all your loads of laundry
- Multiple installation options
- All washers are ENERGY STAR® qualified

Top Load Laundry Pairs

- Maytag® Commercial Technology (MCT)
- Commercial-grade transmission with components (drive shaft, spin gear and synthetic oil) that have been tested to twice the life
- One washer model is ENERGY STAR® qualified

Specialty Laundry

- Single-unit or compact pairs
- Commercial-grade parts that last
- QuietSeries™ sound packages

LEARN MORE AT energystar.gov

All Maytag® washers with the ENERGY STAR® emblem meet or exceed energy efficiency standards set forth by the Department of Energy

New!

Available August 2009

Introducing New Bravos® High-Efficiency Laundry Pairs

With a 5.0 cu. ft. I.E.C. washer capacity that's larger than any front load washer, the new Bravos® laundry pair handles it all, from your dirtiest to your most delicate loads. Plus, a suspension system powered by Maytag® Commercial Technology delivers vibration control superior to any front load washer.

Models: MVWB850WQ & ME/GDB850WQ
Shown with optional Laundry 1-2-3™ laundry tower MVP8600TW

Key Product Features

Powerful Cleaning with the Power Wash cycle that combines extra cleaning action and a deep rinse to tackle the dirtiest loads.

Vibration Control that's superior to any front load washer thanks to Maytag® Commercial Technology. The Smooth Balance™ suspension system with long-lasting stainless steel spring dampers easily handles even the heaviest loads—making upper floor installation possible.



Updated Design features chiseled edges, chrome accents and new color options.

Steam

5.0 cu. ft. I.E.C. Capacity is our largest washer yet, offering more room than a front load washer for large items like sleeping bags, ski jackets and snow pants.

Commercial-Grade Components include the steel baseframe, tempered glass window, 5-rib dryer belt and premium dryer drum rollers.

Better Built to Clean Your Toughest Loads

High-Efficiency Top Load Laundry Pairs

Is this product right for you?

Is your current washer able to remove your toughest stains?

From your delicates to your dirtiest items, the new Bravos® washer is designed to easily handle your toughest loads. It features the Power Wash cycle that combines extra cleaning action and a deep rinse to clean items like dirty overalls or grass-stained sports uniforms. Plus, the 5.0 cu. ft. I.E.C. capacity means you'll always have room for extra-large loads.

Are you interested in saving natural resources and money on your utility bills?

The Bravos® high-efficiency top load washer uses 70% less water and 67% less energy compared to conventional top load washers. With such outstanding water and energy conservation, you'll save nearly enough to pay for the Bravos® Steam Dryer*.

Do you rewash clothes even if you've only worn them once? Have you ever left a load of clothing in the dryer overnight?

The Bravos® Steam dryer features two steam-enhanced cycles that relax wrinkles and remove odors. The Rapid Refresh cycle works wonders on an outfit or a coat, while the Custom Refresh cycle is ideal for an entire load of clothing.

*Compared to pre-2004 conventional washers, based on a 10-year life.
Models Shown: MVWB850WB & ME/GDB850WB

Additional Features

Sensi-Care™ Wash System with IntelliClean™ Impeller

Automatically detects the weight of the load and regulates the amount of water based on the size of the load. The IntelliClean™ impeller effectively cleans with a wash plate rather than the traditional agitator, continuously moving clothes through the water.

ENERGY STAR® Qualified with a CEE Tier III Rating

These washers help lower utility bills while delivering excellent cleaning results. With a Tier III qualification from the Consortium for Energy Efficiency (CEE), these top load washers are listed among the most efficient washers in the industry.

NSF Certified Sanitary with Oxi Cycle

Forgo bleach for a safer method of sanitization. When used with oxygenated additives, this cycle raises water temperatures to remove at least 99.9% of certain bacteria.

IntelliDry® Sensor

Measures the moisture levels as the clothes tumble to minimize the risk of overdrying and shrinking. It stops the cycle when drying is complete so clothes come out dry, yet cool to the touch.

Steam-Enhanced Dryer Cycles

Refresh a couple of items or a full load using steam to relax wrinkles and remove odors from dry clothing. The Bravos® Steam dryer also connects directly to an existing water line, so there's never a need to fill a reservoir.

Maytag® Commercial Technology (MCT)

From the wash basket to the dryer drum rollers, Bravos® laundry pairs bring long-lasting, commercial-grade components into your home.

NOTE: Not all features are available on all models.

Bravos® High-Efficiency Top Load Laundry Pairs

New
MVWB300W
4.7 cu. ft. I.E.C.
White (Q)

ME/GDB200V
6.8 cu. ft.
27-1/2" Depth
White (Q)

New
MVWB450W
5.0 cu. ft. I.E.C.
White (Q)

ME/GDB400V
7.3 cu. ft.
White (Q)

New
MVWB750W
5.0 cu. ft. I.E.C.
Crimson (R)

New
ME/GDB850W
7.3 cu. ft.
2 Steam cycles
Crimson (R)

New
MVWB750W
5.0 cu. ft. I.E.C.
Black (B)

New
ME/GDB850W
7.3 cu. ft.
2 Steam cycles
Black (B)

New
MVWB750W
5.0 cu. ft. I.E.C.
White (Q)

New
ME/GDB850W
7.3 cu. ft.
2 Steam cycles
White (Q)

New
MVWB850W
5.0 cu. ft. I.E.C.
Sanitary and
Allergen cycles
Crimson (R)

New
ME/GDB850W
7.3 cu. ft.
2 Steam cycles
Crimson (R)

New
MVWB850W
5.0 cu. ft. I.E.C.
Sanitary and
Allergen cycles
Liquid Silver (L)

New
ME/GDB850W
7.3 cu. ft.
2 Steam cycles
Liquid Silver (L)

New
MVWB850W
5.0 cu. ft. I.E.C.
Sanitary and
Allergen cycles
Black (B)

New
ME/GDB850W
7.3 cu. ft.
2 Steam cycles
Black (B)

New
MVWB850W
5.0 cu. ft. I.E.C.
Sanitary and
Allergen cycles
White (Q)

New
ME/GDB850W
7.3 cu. ft.
2 Steam cycles
White (Q)

See how the washers work:
Control Panel Demo Mode: Press POWER. Turn dial to DRAIN/SPIN. Select NO SPIN. Within 5 seconds of each other, press PRE-WASH, WATER TEMP, PRE-WASH and WATER TEMP.

Wash/Spin Demo Mode: Press POWER. Turn dial to CLEAN WASHER. Select WASH-RINSE TEMP. Within 5 seconds of each other, press EXTRA RINSE, WASH-RINSE TEMP and EXTRA RINSE. (If you have programmed the Control Panel Demo Mode first, unplug the power cord for 30 seconds and plug it back in before running this mode.)

	All New Line Up			
Washer Models	**MVWB300W**	**MVWB450W**	**MVWB750W**	**MVWB850W**
Replaces Model		**MVWB400V**	**MVWB700V**	**MVWB800V**
Capacity (cu. ft. I.E.C.)	4.7	5.0	5.0	5.0
Maytag® Commercial Technology (MCT)	•	•	•	•
ENERGY STAR® qualified	CEE Tier III*	CEE Tier III*	CEE Tier III*	CEE Tier III*
Sensi-Care™ wash system with IntelliClean™ impeller	•	•	•	•
1,200-Watt water heater				**with Clean Boost option**
Power Wash cycle		•	•	•
NSF Certified Sanitary with Oxi cycle				•
Allergen removal feature				•
Automatic wash cycles/options	10/4	**13/5**	13/5	**14/8**
Soil levels	3 (Light, Normal, Heavy)	3 (Light, Normal, Heavy)	3 (Light, Normal, Heavy)	**4** (Light, Normal, Heavy, **Extra Heavy**)
Selectable spin speeds	3	**4**	4	4
MaxExtract™ extended spin speed	up to 950 RPM	**up to 1,100 RPM**	up to 1,100 RPM	up to 1,100 RPM
Delay Start option				**up to 10 hours**
Temperature settings	3	**4**	4	**5**
Automatic temperature control	•	•	•	•
IntelliFill™ automatic water level sensor	•	•	•	•
QuietSeries™ sound package		**300**	300	**400**
Automatic dispensers	Detergent, bleach and fabric softener	Detergent, bleach and fabric softener	Detergent, bleach and fabric softener	**Oxi**, detergent, bleach and fabric softener
PureClean™ rinse system with SpinSpray™ rinse	•	•	•	•
End-of-cycle signal	•	**Adjustable**	Adjustable	Adjustable
Estimated time remaining display	•	•	•	•
Durable powdercoat-on-steel top	•	•	•	•
Dial controls with auto control wake-up	•	•	•	•
Last cycle recall	•	•	•	•
Wide-opening lid with SmoothClose™ hinge	Solid Spill-Catcher™ lid	Solid Spill-Catcher™ lid	**Commercial-grade glass window**	Commercial-grade glass window
Full-width lid bumper	•	•	•	•
Front serviceable	•	•	•	•
Self-cleaning lint removal system	•	•	•	•
Dimensions (H x W x D)	44" x 28" x 27"	44" x 28" x 27"	44" x 28" x 27"	44" x 28" x 27"
Colors	Q	Q	R/B/Q	R/L/B/Q

			New
Dryer Models	**MEDB200V (Electric) MGDB200V (Gas)**	**MEDB400V (Electric) MGDB400V (Gas)**	**MEDB850W (Electric) / MGDB850W (Gas)**
Replaces Model			**MEDB800V (Electric) / MGDB800V (Gas)**
Capacity (cu. ft.)	6.8	**7.3**	7.3
Maytag® Commercial Technology (MCT)	•	•	•
GentleBreeze™ drying system	•	•	•
IntelliDry® sensor	•	•	•
Drying cycles/options	7/3	7/3	**9**/3
Temperature settings	5	5	5
Steam Rapid Refresh cycle			•
Steam Custom Refresh cycle			•
Steam cycles with direct Y-connector water hook-up			**Rapid Refresh and Custom Refresh**
Wrinkle Prevent option	up to 90 minutes	up to 90 minutes	**up to 150 minutes**
QuietSeries™ sound package	300	300	**400**
DuraCushion™ dryer drum	•	•	•
Interior light	•	•	**Selectable**
Adjustable end-of-cycle signal	•	•	•
Damp Dry signal	•	•	•
Estimated time remaining display	•	•	•
Durable Spill-Catcher™ top	•	•	•
Dial controls with auto control wake-up	•	•	•
Last cycle recall	•	•	•
Reversible side-swing door	•	•	**Commercial-grade glass window**
Front lint filter	•	•	•
360° Front and rear heat seal	•	•	•
Commercial-grade 1/3-HP motor	•	•	•
1,950 RPM blower with 100-foot vent length	•	•	•
2-way internal venting with kit 49610 (optional 4-way external venting with side vent kit 49611)	•	•	•
Front serviceable	•	•	•
Flat back construction	•		
Dimensions (H x W x D)	44" x 29" x 27-1/4"	44" x 29" x 29-1/4"	44" x 29" x 29-1/4"
Colors	Q	Q	R/L/B/Q

Blue/bold type indicates step-up feature

Maytag® Commercial Technology

- Commercial-grade, stainless steel wash basket
- Commercial-grade washer drive system bearings
- Steel cabinet and reinforced baseframe
- Zinc-coated, tuned leveling legs
- Superior vibration control with Smooth Balance™ suspension system
- Commercial capacity, direct drive infinite speed motor
- Commercial-grade glass window
- Commercial-grade, 5-rib dryer belt
- Commercial-grade, premium dryer drum rollers

*The CEE Tier System is based on the Consortium for Energy Efficiency qualified product listings.

Feature definitions can be found in the glossary on pages 26–27.
Accessories can be found on page 28. Complete cycle information and product specifications can be found on page 29.

High-Efficiency Front Load Laundry Pairs

Is this product right for you?

How well does your washer remove ground-in dirt, stubborn soils and stains?

Select Performance Series washers feature the SteamClean and Oxi Treat options. SteamClean delivers a boost of steam that penetrates deep into fabric fibers to lift out dirt and grime for a more thorough clean. Oxi Treat dispenses a stain-fighting additive into the wash at the right time to remove tough stains like red wine, coffee and grass.

Do you wash multiple loads in a day? Does your dryer take more time than your washer to complete a load?

Performance Series and EPIC z® washers feature up to 4.4 and 3.7 cu. ft. I.E.C. capacities, respectively—allowing you to wash more clothes in every load, resulting in fewer loads per week. In the dryer, ample capacity combines with the GentleBreeze™ drying system and IntelliDry® sensor to dry the same size load in the time it takes to wash it, based on a 9-lb load.

Are you looking for a laundry pair that makes the most of your space?

EPIC z® washers and dryers each fit in a 27" wide by 36" high area to streamline the space in your laundry room. These washers and dryers can be installed next to each other, stacked or under a cabinet to further accommodate your laundry room needs.

Products shown with optional 15.5" pedestals. See page 25 for more information.
Models on Left: MHWE900VJ, ME/GDE900VJ & XHP1550VJ
Models on Right: MHWZ600TE, ME/GDZ600TE & XHP1550VE

Key Product Features

Maytag® Commercial Technology (MCT)

From springs and belts to motors and side panels—Performance Series laundry pairs bring long-lasting, commercial-grade components into your home.

Steam Sanitization Cycles

Features multiple cycles that deep clean your clothes by eliminating at least 95% of common allergens.*

Oxi Treat Option

Automatically dispenses oxygenated, stain-fighting pre-treater during the prewash to tackle tough stains like red wine, coffee and grass. Works with both powder and liquid.

Rainfall Clean™ Wash System

A unique 138-hole, 3-baffle design scoops up water and showers it onto fabrics for thorough saturation, giving detergent more time to break down tough stains.

MaxExtract™ Extended Spin Option

An increased spin time at a speed of up to 1,200 RPM, on select cycles, extracts additional water from the load to help reduce drying time.

ENERGY STAR® Qualified

All Maytag® Performance Series and EPIC z® washers are ENERGY STAR® qualified with a Tier II or III rating from the Consortium for Energy Efficiency (CEE).

Steam Refresh Dryer Cycles

A fine mist combines with heat to create steam while clothes are tumbling to remove odors and relax wrinkles from a few items or an entire load.

NSF Certified Sanitize Drying Cycle

Allows you to sanitize items that you prefer not to wash, like pillows or stuffed animals.

GentleBreeze™ Drying System with IntelliDry® Sensor

Quickly and efficiently dries clothing with consistent results. The IntelliDry® sensor monitors moisture levels as clothes dry to minimize the risk of overdrying and shrinking.

*Common allergens tested were dust mites and pet dander. Can be used with Whitest Whites and Heavy Duty cycles only when the "Sanitize" water temperature is selected.

NOTE: Not all features are available on all models.

Performance Series High-Efficiency Front Load Laundry Pairs

MHWE300V
4.1 cu. ft. I.E.C.
Crimson (F)

ME/GDE300V
7.2 cu. ft.
Crimson (F)

MHWE300V
4.1 cu. ft. I.E.C.
White (W)

ME/GDE300V
7.2 cu. ft.
White (W)

MHWE300V
4.1 cu. ft. I.E.C.
Crimson (F)

New
ME/GDE500V
7.2 cu. ft.
2 Steam cycles
Crimson (F)

MHWE500V
4.1 cu. ft. I.E.C.
3 Steam cycles
Evergreen (P)

ME/GDE500V
7.2 cu. ft.
2 Steam cycles
Evergreen (P)

MHWE500V
4.1 cu. ft. I.E.C.
3 Steam cycles
White (W)

ME/GDE500V
7.2 cu. ft.
2 Steam cycles
White (W)

MHWE900V
4.4 cu. ft. I.E.C.
3 Steam cycles
Oxide (J)

ME/GDE900V
7.5 cu. ft.
2 Steam cycles
Oxide (J)

MHWE900V
4.4 cu. ft. I.E.C.
3 Steam cycles
White (W)

ME/GDE900V
7.5 cu. ft.
2 Steam cycles
White (W)

See how the washers work:
The power must be OFF and the following steps must be performed within 5 seconds. Select WASH TEMP option. Select SPIN SPEED option. Select WASH TEMP option. Select SPIN SPEED option. "Sd" should appear on the Estimated Time Remaining window. The door will lock and a short cycle will start.*

*Shipping bolts must be removed prior to running the demo mode.

Products shown with optional 15.5" pedestals. See page 25 for more information.

Washer Models	MHWE300V	MHWE500V	MHWE900V
Capacity (cu. ft. I.E.C.)	4.1	4.1	**4.4**
Maytag® Commercial Technology (MCT)	•	•	•
ENERGY STAR® qualified	CEE Tier II*	**CEE Tier III***	CEE Tier III*
Sensi-Care™ wash system	•	•	•
1,000-Watt water heater	•	•	•
SteamClean option		•	•
NSF Certified Sanitization cycles	without steam	**with Steam**	with Steam
Oxi Treat option			•
Automatic wash cycles/options	9/5	**10**/5	**11/6**
Soil levels	3 (Light, Normal, Heavy)	3 (Light, Normal, Heavy)	3 (Light, Normal, Heavy)
Variable speed motor with preselected spin speeds	•	•	•
MaxExtract™ extended spin speed	up to 1,200 RPM	up to 1,200 RPM	up to 1,200 RPM
Delay Start option	8-Hour	**10-Hour**	**16-Hour**
Temperature settings	4	4	**5**
IntelliTemp™ automatic temperature control	•	•	•
IntelliFill™ automatic water level sensor	•	•	•
QuietSeries™ sound package	300	300	**400**
Sensor-controlled suds detection	•	•	•
Timed release detergent system	•	•	•
Dispenser drawer	3-Tray	3-Tray	**4-Tray (adds Oxi Dispenser)**
Cycle status lights	•	•	•
End-of-cycle signal	•	•	•
Estimated time remaining display	•	•	•
Add-a-garment indicator	•	•	•
Control lockout	•	•	•
Extra-large window	•	•	•
Front serviceable	•	•	•
Dimensions (H x W x D)	38" x 27" x 31-1/2"	38" x 27" x 31-1/2"	38" x 27" x 32-9/16"
Colors	F/W	P/W	J/W

Dryer Models	MEDE300V (Electric) MGDE300V (Gas)	MEDE500V (Electric) MGDE500V (Gas)	MEDE900V (Electric) MGDE900V (Gas)
Capacity (cu. ft.)	7.2	7.2	**7.5**
Maytag® Commercial Technology (MCT)	•	•	•
GentleBreeze™ drying system with IntelliDry® sensor	•	•	•
Drying cycles/options	7/4	**9**/4	**11**/4
Temperature settings	5	5	5
Steam Rapid Refresh cycle		•	•
Steam Custom Refresh cycle		•	•
Steam cycles with direct Y-connector water hook-up		•	•
NSF Certified Sanitize cycle		•	•
Wrinkle Prevent option	up to 120 minutes	up to 120 minutes	**up to 140 minutes**
QuietSeries™ sound package	300	300	**400**
DuraCushion™ dryer drum	•	•	•
Interior light	•	•	•
End-of-cycle signal	•	•	•
Estimated time remaining display	•	•	•
Control lockout	•	•	•
Extra-large window	•	•	•
Reversible-swing door	•	•	•
4-Way electric, 3-way gas venting	•	•	•
Front serviceable	•	•	•
Dimensions (H x W x D)	38" x 27" x 31-1/2"	38" x 27" x 32-9/16"	38" x 27" x 32-9/16"
Colors	F/W	F**/P/W	J/W

Blue/bold type indicates step-up feature

Maytag® Commercial Technology

- Durable metal motor and drive system
- Commercial-grade belts and bearings
- Commercial-grade, tilted stainless steel wash basket
- Smooth Balance™ suspension system
- Solid steel baseframe
- Steel side panels
- Heavy-duty, die-cast door hinge

*The CEE Tier System is based on the Consortium for Energy Efficiency qualified product listings.
**When ordering dryer ME/GD500VF, order washer MHWE300VF.

Feature definitions can be found in the glossary on pages 26–27. Accessories can be found on page 28.
Complete cycle information and product specifications can be found on page 30.

EPIC z® High-Efficiency Front Load Laundry Pairs

MHWZ400T
3.7 cu. ft. I.E.C.
White (Q)

ME/GDZ400T
6.7 cu. ft.
White (Q)

MHWZ600T
3.7 cu. ft. I.E.C.
Black with Chrome (B)

ME/GDZ600T
6.7 cu. ft.
Black with Chrome (B)

MHWZ600T
3.7 cu. ft. I.E.C.
Slate Blue with Chrome (E)

ME/GDZ600T
6.7 cu. ft.
Slate Blue with Chrome (E)

MHWZ600T
3.7 cu. ft. I.E.C.
White with Chrome (W)

ME/GDZ600T
6.7 cu. ft.
White with Chrome (W)

See how the washers work:
Press DELAY. Press EXTRA RINSE. Press DELAY. Press EXTRA RINSE.*

*Shipping bolts must be removed prior to running the demo mode.
Products shown with optional 15.5" pedestals. See page 25 for more information.

Washer Models	MHWZ400T	MHWZ600T
Capacity (cu. ft. I.E.C.)	3.7	3.7
ENERGY STAR® qualified	CEE Tier III*	CEE Tier III*
Rainfall Clean™ wash system with Sensi-Care™ technology	•	•
Internal water heater and NSF Certified Sanitary cycle		•
Wash cycles/options	8/4	**10/6**
Wash options	2	**4**
Clean Washer cycle	•	•
Preselected spin speeds	•	•
MaxExtract™ extended spin option	up to 1,100 RPM	**up to 1,200 RPM**
Delay Start option	8-Hour	**10-Hour**
Temperature settings	4	**5**
IntelliTemp™ automatic temperature control	•	•
IntelliFill™ automatic water level sensor	•	•
QuietSeries™ sound package	300	**400**
3-Tray dispenser drawer	Detergent, bleach and fabric softener	Detergent, bleach and fabric softener
Adjustable end-of-cycle signal	•	•
Estimated time remaining display	•	•
Durable powdercoat-on-steel top	•	•
Add-a-garment indicator	•	•
Control lockout	•	•
Variable speed, 1/3-HP high-torque motor	•	•
Smooth Balance™ suspension system	•	•
Heavy-duty, die-cast door hinge	•	•
Heavy-duty, rubber-coated inset pocket door handle	•	•
Commercial-grade, stainless steel wash basket	•	•
Solid steel baseframe	•	•
Commercial-grade, 8-rib washer belt	•	•
Hose reversal technology	•	•
Front serviceable	•	•
Dimensions (H x W x D)	36" x 27" x 30-1/2"	36" x 27" x 30-1/2"
Colors	Q	B/E/W

Dryer Models	MEDZ400T (Electric) MGDZ400T (Gas)	MEDZ600T (Electric) MGDZ600T (Gas)
Capacity (cu. ft.)	6.7	6.7
GentleBreeze™ drying system with IntelliDry® sensor	•	•
Drying cycles/options	6/4	**8/4**
Temperature settings	4	**6**
90-Minute Wrinkle Prevent option	•	•
Smooth Balance™ suspension system	•	•
QuietSeries™ sound package	300	**400**
DuraCushion™ dryer drum	•	•
Interior light	•	•
End-of-cycle signal	•	•
Estimated time remaining display	•	•
Control lockout	•	•
Durable powdercoat-on-steel top	•	•
Reversible dryer door (no kit required)	•	•
Heavy-duty, die-cast door hinge	•	•
Rubber-coated, inset pocket handle	•	•
Solid steel baseframe	•	•
Commercial-grade, 5-rib dryer belt	•	•
4-Way electric, 3-way gas venting	•	•
Front serviceable	•	•
Dimensions (H x W x D)	36" x 27" x 28-9/10" – 32-9/10"	36" x 27" x 28-9/10" – 32-9/10"
Colors	Q	B/E/W

Blue/bold type indicates step-up feature

*The CEE tier system is based on the Consortium for Energy Efficiency qualified product listings.

Feature definitions can be found in the glossary on pages 26–27. Accessories can be found on page 28.
Complete cycle information and product specifications can be found on page 31.

Top Load Laundry Pairs

Is this product right for you?

Was your previous top load laundry pair built to last with commercial-grade parts?

Centennial® laundry pairs feature Maytag® Commercial Technology (MCT), which is a series of long-lasting, commercial-grade components for your home. This includes the washer's transmission, steel-reinforced baseframe and leveling legs, plus the dryer's belt, drum rollers, steel-reinforced baseframe and 1/3-HP motor.

Would you like to have a more efficient washer without giving up your preference for top load style?

The new Centennial® washer (model MVWC6ESW) is ENERGY STAR® qualified, using 65% less water and 49% less energy* in a configuration you've come to know. Plus, it features 3x3 Surround Spray, which uses three spray jets to wash, rinse and repeat for a better cleaning wash system that also saves water.

Does your dryer tend to overdry your clothes with high heat?

Thanks to the GentleBreeze™ drying system, you'll no longer have to worry. It quickly and efficiently dries clothes for more consistent results. Plus, the IntelliDry® sensor measures moisture to stop the cycle when complete. This prevents overdrying, and could save you up to $140 over the life of the dryer.**

*Compared to conventional pre-2004 washers.
**Compared to automatic dry, 7.0 cu. ft. electric dryers only.

Models Shown: MVWC700VJ & ME/GDC700VJ

Key Product Features

Maytag® Commercial Technology (MCT)

Various components—from leveling legs to the baseframe—have been tested in commercial settings. Specifically, the washer's transmission features a drive shaft, spin gear and synthetic oil that have been tested to twice the life.

New 3x3 Surround Spray

Featured in model MVWC6ESW, this unique spray system uses three jets and load-sensing technology to wash, rinse and repeat for a better cleaning wash system that saves water and energy.

New ENERGY STAR® Qualified

Model MVWC6ESW has received ENERGY STAR® qualification, which means you'll save money on monthly utility bills without sacrificing excellent cleaning performance.

DependableClean™ Wash System

Keeps clothes looking their best. The LoadFlex™ agitator produces a wash motion that rolls clothes through the wash and rinse cycles to provide a reliable clean, wash after wash.

GentleBreeze™ Drying System

Quickly and efficiently dries clothing with consistent results. Select models also feature the IntelliDry® sensor, which monitors moisture levels and stops the cycle when clothes are dry to minimize overdrying and shrinking—it could even save you up to $140 over the life of the dryer.*

DuraCushion™ Dryer Drum

The white powdercoat dryer drum provides a smooth surface that's scratch resistant for less friction and wear. Clothes gently glide off its surface without snagging.

*Compared to automatic dry, 7.0 cu. ft. electric dryers only.

NOTE: Not all features are available on all models.

Centennial® Top Load Laundry Pairs

MVWC300V
3.2 cu. ft.
White (W)

ME/GDC400V
7.0 cu. ft.
White (W)

MVWC400V
3.5 cu. ft.
White (W)

ME/GDC400V
7.0 cu. ft.
White (W)

MVWC500V
3.5 cu. ft.
White (W)

ME/GDC500V
7.0 cu. ft.
White (W)

MVWC700V
3.5 cu. ft.
Oxide (J)

ME/GDC700V
7.4 cu. ft.
Oxide (J)

MVWC700V
3.5 cu. ft.
White (W)

ME/GDC700V
7.4 cu. ft.
White (W)

New
MVWC6ESW
4.0 cu. ft. I.E.C.
White (W)

ME/GDC700V
7.4 cu. ft.
White (W)

Washer Models	MVWC300V	MVWC400V	MVWC500V	MVWC700V	New MVWC6ESW
Capacity (cu. ft.)	3.2	**3.5**	3.5	3.5	**4.0 I.E.C.**
Maytag® Commercial Technology (MCT)	•	•	•	•	•
ENERGY STAR® qualified					•
3x3 Surround Spray					•
DependableClean™ wash system	•	•	•	•	•
LoadFlex™ agitator	•	•	•	•	•
100° Arc of agitation	•	•	•	•	•
Automatic wash cycles	10	**12**	**16**	**18**	18
Temperature settings	4	4	4	4	**6**
Automatic temperature control	•	•	•	•	•
QuietSeries™ sound package	100	100	100	**200**	200
Speed combinations	2	**3**	**4**	**5**	5
Bleach and fabric softener dispenser	•	•	•	•	•
PureClean™ rinse system	•	•	•	•	•
Extra Rinse option	•	•	•	•	•
End-of-cycle signal				•	•
Spill-Catcher™ top	•	•	•	•	•
Metallic shine console styling & knobs	Silver	Silver	Silver	W - Silver, J - Gold	Silver
Wide-opening, heavy-gauge steel lid	•	•	•	**Glass window**	•
Full-width lid bumper				•	•
Seamless front edges	•	•	•	•	•
Smooth Balance™ suspension system	•	•	•	•	•
1/2-HP drain pump	•	•	•	•	•
Wash basket	White porcelain-on-steel	White porcelain-on-steel	**Stainless steel**	Stainless steel	Stainless steel
One-piece drain hose	•	•	•	•	•
Commercial-grade drive coupler	•	•	•	•	•
Front serviceable	•	•	•	•	•
Dimensions (H x W x D)	43" x 26-7/8" x 25-1/2"	43" x 26-7/8" x 25-1/2"	43" x 26-7/8" x 25-1/2"	43" x 26-7/8" x 25-1/2"	43" x 26-7/8" x 25-1/2"
Colors	W	W	W	J/W	W

Dryer Models	MEDC400V (Electric) MGDC400V (Gas)	MEDC500V (Electric) MGDC500V (Gas)	MEDC700V (Electric) MGDC700V (Gas)
Capacity (cu. ft.)	7.0	7.0	**7.4**
Maytag® Commercial Technology (MCT)	•	•	•
GentleBreeze™ drying system	•	•	•
IntelliDry® sensor		•	•
Drying cycles/options	7/1	**11**/1	**12/2**
Temperature settings	3	**4**	**5**
Wrinkle Prevent option	up to 30 minutes	**up to 90 minutes (on/off)**	up to 90 minutes (on/off)
Smooth Balance™ suspension system	2 Drum rollers, 2 drum glides	2 Drum rollers, 2 drum glides	**4 Drum rollers**
Timed dry option	up to 60 minutes	**up to 70 minutes**	**up to 80 minutes**
QuietSeries™ sound package	100	100	**200**
DuraCushion™ dryer drum	•	•	•
Interior light	•	•	•
Adjustable end-of-cycle signal	•	•	•
Spill-Catcher™ top	•	•	•
Metallic shine console styling & knobs	Silver	Silver	W - Silver, J - Gold
Reversible side-swing door	•	•	•
360° Front and rear heat seal	•	•	•
Front serviceable	•	•	•
64-Foot vent length	rear vent	rear vent	4-way internal venting with kit (279818)
Dimensions (H x W x D)	43" x 29" x 27-13/16"	43" x 29" x 27-13/16"	43" x 27" x 29-1/4"
Colors	W	W	J/W

Blue/bold type indicates step-up feature

Maytag® Commercial Technology

- Commercial-grade, steel-reinforced baseframe
- Commercial-grade transmission
- Zinc-coated leveling legs
- Commercial-grade, 1/3-HP dryer motor
- Commercial-grade, 5-rib dryer belt
- Premium dryer drum rollers

Feature definitions can be found in the glossary on pages 26–27.
Accessories can be found on page 28. Complete cycle information and product specifications can be found on page 32–33.

Specialty Laundry

Is this product right for you?

Does your current laundry pair take up too much space? Would you prefer to keep it hidden in a closet?

The stacked laundry pair provides reliable cleaning in a vertical format. With the dryer on top of the washer, this unit fits inside your laundry closet with ease.

Are you interested in a front load laundry pair? Do you lack the space in which to install such a pair?

A 24" compact front load laundry pair packs power into a small frame. It fits perfectly under the counter, or stacked in a convenient corner of your home.

How loud is your current laundry pair?

Maytag® stacked laundry pairs feature the Smooth Balance™ suspension system, which acts like a set of shock absorbers to reduce excess noise.

Model on Left: ME/GT3800TW
Models on Right: MAH2400AWW & MDE2400AYW

Key Product Features

DependableClean™ Wash System

The LoadFlex™ agitator produces a motion that rolls clothes through the wash and rinse cycles to provide a reliable clean, wash after wash.

Commercial-Grade, Stainless Steel Wash Basket

Resists chips, scratches and odors. Super-tough stainless steel maintains a smooth surface so it won't snag or pill fabrics.

Metallic Console Styling

Metallic knobs highlight the strong, dependable console.

GentleBreeze™ Drying System

Quickly and efficiently dries clothes in a counterclockwise loop to touch the entire load for more consistent results.

DuraCushion™ Dryer Drum

The white powdercoat dryer drum provides a smooth surface that's scratch resistant for less friction and wear. Clothes gently glide off its surface without snagging.

QuietSeries™ Sound Package

Reduces excess noise and vibration, keeping operational sounds inside the washer and dryer and out of living areas.

NOTE: Not all features are available on all models.

Stacked Laundry Pair

ME/GT3800T

2.6 cu. ft. capacity washer
5.9 cu. ft. capacity dryer
White (W)

Model	MET3800T (Electric) MGT3800T (Gas)
Washer Features	
Capacity (cu. ft.)	2.6
DependableClean™ wash system	•
LoadFlex™ agitator	•
Wash cycles	9
Temperature settings	4
Delicates cycle	•
Prewash cycle	•
Speed combinations	3
Front panel dial controls	•
Automatic temperature control	•
Water levels	4
QuietSeries™ sound package	200
Automatic bleach and fabric softener dispensers	•
Metallic console styling	•
Smooth Balance™ suspension system	•
Porcelain-on-steel wash basket	•
Self-cleaning lint removal system	•
Dryer Features	
Capacity (cu. ft.)	5.9
GentleBreeze™ drying system	•
IntelliDry® sensor	•
Drying cycles/options	6/1
Temperature settings	3
Timed Dry cycle	•
Air Fluff cycle	•
Adjustable degree of dryness	•
Wrinkle Prevent option	•
QuietSeries™ sound package	200
DuraCushion™ dryer drum	•
Interior light	•
End-of-cycle signal	•
Metallic console styling	•
Front panel dial controls	•
Dimensions (H x W x D)	73" x 27" x 32"
Color	W

Feature definitions can be found in the glossary on pages 26–27.
Accessories can be found on page 28. Complete cycle information and product specifications can be found on page 34.

24" Front Load Laundry Pair

MAH2400AW

2.4 cu. ft. I.E.C. capacity

White (W)

MDE2400AY

3.7 cu. ft. capacity

White (W)

Washer Model	MAH2400AW
Capacity (cu. ft. I.E.C.)	2.4
ENERGY STAR® qualified	•
TurboClean wash system	•
IntelliFill™ water level sensor	•
Wash cycles/options	10/2
Speed combinations	4
Temperature settings	5
Automatic temperature control	•
Extra Rinse option	•
Delay Start option	up to 19 hours
Delicates cycle	•
Handwash cycle	•
Permanent Press/Wrinkle-Free cycle	•
Colors cycle	•
Motor speed	Universal
QuietSeries™ sound package	300
Automatic detergent, bleach and fabric softener dispenser	•
End-of-cycle chime	•
LED controls	•
Commercial-grade, stainless steel wash basket	•
Self-cleaning lint removal system	•
Dimensions (H x W x D)	33-1/4" x 23-3/4" x 24"
Color	W

Dryer Model	MDE2400AY (Electric)
Capacity (cu. ft.)	4.0
GentleBreeze™ drying system	•
AutoDry dryness sensor	•
Drying cycles/options	6/2
Temperature settings	3
Timed Dry cycle	•
Air Fluff cycle	•
Damp Dry cycle	•
Low/Delicate temperature	•
Wrinkle Prevent option	•
QuietSeries™ sound package	300
Stainless steel dryer drum	•
Interior light	•
End-of-cycle chime	•
Reversible swing door	•
LED controls	•
Dimensions (H x W x D)	34" x 23-1/2" x 23-3/4"
Color	W

Feature definitions can be found in the glossary on pages 26–27.
Accessories can be found on page 28. Complete cycle information and product specifications can be found on page 34.

Laundry 1-2-3™ Towers

Available Color

White (W)

Performance Series Laundry Tower

MVP9000T
37.5" H x 13.5" W x 23.6" D

Offers storage space between or next to a Performance Series laundry pair

1 Plastic pull-out organization tray

2 Large powdercoat-on-steel storage drawers

Recessed drawer handles

Retractable steel hanging rod

Powdercoat-on-steel exterior

Available Colors

White (W)

Black (B)

EPIC z™ Laundry Tower

MVP8600T
35.2" H x 13.5" W x 23.6" D

Offers storage space between or next to an EPIC z® laundry pair

1 Plastic pull-out organization tray

2 Large powdercoat-on-steel storage drawers

Recessed drawer handles

Retractable steel hanging rod

Powdercoat-on-steel exterior

Removable backsplash (not pictured)

Laundry Towers

Streamline storage and maintain organization with a laundry tower. Supplies are easy to access, but out of sight, helping to reduce clutter in the laundry area.

Available Colors

White (W)

Black (B)

Bravos™ Laundry Tower

MVP8600T
35.2" H x 13.5" W x 23.6" D

Offers storage space between or next to a Bravos® laundry pair

1 Plastic pull-out organization tray

2 Large powdercoat-on-steel storage drawers

Recessed drawer handles

Retractable steel hanging rod

Powdercoat-on-steel exterior

Removable backsplash (pictured right)

Available Color

White (Q)

Centennial™ Laundry Tower

MVP5000T
35.2" H x 13.5" W x 23.6" D

Offers storage space between or next to a Centennial® laundry pair

1 Plastic pull-out organization tray

2 Large powdercoat-on-steel storage drawers

Drawer handles

Powdercoat-on-steel exterior

Removable Backsplash (pictured)

1 2 3 laundry
custom laundry options ™

Laundry 1-2-3™ Worksurface & Pedestals

Laundry Worksurface

Converts your washer and dryer top into a seamless surface to sort, treat and fold. This no-slip worksurface sits atop a Performance Series or EPIC z® laundry pair.

24 Vibration pads

Large Spill-Catcher™ mat

Recessed backsplash

Supply trays

PVC base material

Product Dimensions

3.7" H x 56.3" W x 25" D

Available Colors

MW29000T

(W)
White

(B)
Black

XW29000V

(P)
Evergreen

(J)
Oxide

(F)
Crimson

(E)
Slate Blue

Laundry Pedestals

Raise your Performance Series or EPIC z® washer and dryer pair for easier loading and unloading. The storage drawer in the 15.5" pedestal holds all of your laundry extras, including full-size detergent bottles.

Product Dimensions

MHP1000S: 10" H x 27" W x 26.5" D
XHP1550V: 15.5" H x 27" W x 26.5" D

Available Colors

MHP1000S

(Q)
White

(B)
Black

XHP1550V

(W)
White

(P)
Evergreen

(J)
Oxide

(B)
Black

(F)
Crimson

(E)
Slate Blue

Feature Definitions

1/2-HP Drain Pump
This pump is constructed of durable polypropylene and features lubricated, sealed bearings. A heavy-duty rubber impeller protects the powerful drain pump against loose change and other debris.

100° Arc of Agitation
The agitator produces a sweeping arc motion that gently rolls clothes through the wash water.

3x3 Surround Spray
Three spray jets and load-sensing technology wash, rinse and repeat for a better cleaning wash system that saves water and energy.

360° Front and Rear Heat Seal
This triple-layered seal keeps heat inside the dryer drum for dependable drying performance.

4-Tray Dispenser Drawer
The self-cleaning dispenser drawer is easy to open and replenish with prewash additives, detergent, bleach and fabric softener.

Allergen Removal Cycles
Select Performance Series and Bravos® washers feature cycles that eliminate at least 95% of common allergens from fabrics. Allergens tested were dust mites and pet dander.

Auto Control Wake-Up
Lifting the lid or touching a knob/button on Bravos® washers and dryers activates the controls for easy programming.

Automatic Temperature Control
Promotes dependable cleaning performance by ensuring correct water temperatures.

CEE Tier II & III Energy Ratings
Although all models on the Consortium for Energy Efficiency (CEE) list are efficient, the tiers are structured so that the more efficient products are listed in the higher tiers.

Tier III contains the most efficient washer models in the industry. All EPIC z®, Bravos® and most Performance Series washers are listed in Tier III.

Select markets qualify for CEE Tier Energy Rating rebates. Consult your local utility company for any available rebates.

Clean Boost Option
By selecting this option, the internal water heater on select Bravos® washers maintains selected water temperatures throughout the entire wash cycle. The need for pretreating clothes is reduced while cleaning performance is enhanced.

Clean Washer Cycle
This special cycle helps rid the wash basket of odor-causing buildup. Use Affresh® Washer Cleaner for optimal results.

Commercial Capacity, Direct Drive Infinite Speed Motor
Magnets propel the Bravos® washer motor during use, assuring infinite wash, tumble and spin combinations of up to 1,100 RPM. Plus, the motor's 18-lb UL capacity rating is commercial grade.

Commercial-Grade, 1/3-HP Motor
Extra power makes it possible to tumble larger loads with less wear on the motor of Centennial® and Bravos® dryers.

Commercial-Grade, 5-Rib Dryer Belt
The industry's widest dryer belt stays strong to last long on Performance Series, Centennial® and Bravos® dryers.

Commercial-Grade, 8-Rib Washer Belt
The Performance Series features the industry's widest washer belt that stays strong to last long.

Commercial-Grade Drive Coupler
Proven in commercial settings, the coupler features five layers of reinforcement that transfer power to the agitator of Centennial® washers.

Commercial-Grade Glass Window
Strong scratch- and shatter-resistant glass on select lids and doors allows you to see your laundry as it washes and dries.

Commercial-Grade, Steel-Reinforced Baseframe
Provides added support to all key components and helps minimize vibration in the Centennial® washer during wash and spin cycles.

Commercial-Grade Transmission
Built strong with commercial-grade parts, the transmission promises a long life for the heart of the Centennial® washer.

Control Lockout
A child safety door latch and locked controls keep little hands from running the washer.

DependableClean™ Wash System
Keeps clothes looking their best. The LoadFlex™ agitator produces a 100° arc wash motion that rolls clothes through the wash and rinse cycles to provide a reliable clean, wash after wash.

Dial Controls
These easy-to-use controls have grip points for comfortable operation.

Direct Y-Connector Water Hook-Up
A solid brass Y-connector delivers water from the cold water inlet directly to the dryer. It eliminates the need to fill a reservoir in dryers that feature steam cycles.

DuraCushion™ Dryer Drum
Provides a smooth, scratch resistant surface for less friction and wear. Clothes gently glide off its surface without snagging or pilling.

End-of-Cycle Signal
Signals the end of the cycle and is simple to turn on or off. The volume can be adjusted on select models.

ENERGY STAR® Qualified
Select Maytag® washers are ENERGY STAR® qualified to help lower utility bills while delivering excellent cleaning performance.

Estimated Time Remaining Display
Shows the time remaining in the cycle.

Flat Back Construction
Creates a shorter depth, making it easier to fit the dryer in locations where space is at a premium.

Front Serviceable
Provides easy access to key components.

Full-Width Lid Bumper
Creates a seal between the lid and washer opening for quieter operation.

GentleBreeze™ Drying System
Quickly and efficiently dries clothing for more consistent results.

Heavy-Duty Blower
A 100-foot vent length for the Bravos® dryer's 1,950 RPM blower system offers the ultimate flexibility for reliable installation. Plus, increased blower speeds prevent lint from building up.

Heavy-Duty, Die-Cast Door Hinge
This durable door hinge provides structural strength for years of dependability.

Heavy-Gauge Steel, Wide-Opening Lid
Made of durable steel, it keeps the interior of the washer sealed off during use. Plus the wide opening creates a larger target area for loading and unloading clothes.

Hose Reversal Technology
In the event of improper hose installation, front load washers self-correct so your clothes are never damaged due to incorrect water temperatures.

IntelliClean™ Impeller
A wash plate with fins continuously moves clothes through the water, effectively cleaning without the use of an agitator.

IntelliDry® Sensor
Measures moisture levels as clothes dry to minimize the risk of overdrying and shrinking. Clothes come out dry, yet cool to the touch.

IntelliFill™ Automatic Water Level Sensor
Built-in sensors match water usage to load size, saving both water and money.

Feature Definitions

IntelliTemp™ Automatic Temperature Control
Monitors incoming water for correct temperature. The washer begins filling after the optimal temperature has been reached.

Interior Light
Illuminates clothes inside the dryer drum during loading and unloading.

Last Cycle Recall
Automatically sets the washer or dryer to the last cycle you chose, including any options and modifiers.

LoadFlex™ Agitator
Flex fins and a spiral design massage clothing to wash away dirt, keeping whites white and colors bright.

MaxExtract™ Extended Spin Option
Accelerates the final spin to remove moisture from the load and reduce drying time.

Maytag® Commercial Technology (MCT)
Select Maytag brand washers and dryers feature long-lasting, commercial-grade components for your home, delivering a lifetime of strength and dependability.

Metallic Shine Console Styling
Metallic knobs and accents highlight the strong, dependable console. Select Centennial® laundry pairs feature gold metallic console styling.

NSF Certified Sanitary Cycle
Wash your clothes with confidence. On front load washers, wash water temperature is increased. Top load washers use oxygenated additives and a heater. Both remove at least 99.9% of test organisms.

One-Piece Drain Hose
A single-piece, factory-installed drain hose helps to minimize the potential for leaks.

Oxi Treat Option
Automatically dispenses oxygenated stain-fighting liquid or powder pre-treater at the right time to tackle tough stains.

Porcelain-on-Steel Wash Basket
Resistant to scratches, stains and odors, this wash basket provides a smooth wash surface.

Power Wash Cycle
Bravos® washers combine extra cleaning action and a deep rinse to tackle your dirtiest loads. A 1,200-watt water heater in the MVWB850W model delivers hotter wash temperatures to ensure better soil and stain removal.

Preselected Spin Speed
Spin speeds automatically adjust for greater cleaning performance.

PureClean™ Rinse System
Effectively removes detergent and soil. Water is first showered on the load; then, a final short agitation in clean water removes any remaining dirt and residue.

QuietSeries™ Sound Package
Reduces noise for quieter operation.

Rainfall Clean™ Wash System
Delivers optimum water saturation and cleaning performance. The Performance Series wash basket features 3 unique wash baffles with a total of 138 holes that scoop up water and thoroughly shower it onto fabrics.

Reversible Side-Swing Door
The versatile door can swing either left or right to best fit your laundry set-up.

Rubber-Coated, Inset Pocket Handle
Delivers strength you can see and feel as soon as you open the door. Inset and rubber-coated for comfort.

Self-Cleaning Lint Removal System
Holes in the Bravos® stainless steel wash basket are created from the inside out, allowing the backside to catch lint. Water flushes it out through the drain.

Sensi-Care™ Wash System
The wash basket moves faster when washing big loads, moving gently at slower speeds for delicate loads.

Sensor-Controlled Suds Detection
Channels water into the dispenser compartment and adjusts water level and temperature for the appropriate amount of sudsing during the wash cycle.

Smooth Balance™ Suspension System
Reduces vibration and noise in the washer, keeping loads balanced while spinning at top performance. In the dryer, drum rollers work with drum glides for quiet operation and low vibration.

SmoothClose™ Hinge
Keeps the lid on Bravos® washers from slamming shut, protecting fingers and eliminating unwanted noise.

Spill-Catcher™ Lid/Top/Mat
Helps prevent spills from running down the sides of the washer or dryer.

SpinSpray™ Rinse
Water is dispersed in a cascading style to thoroughly remove dirt, detergent and other residue from items while the wash basket spins.

Stainless Steel Wash Basket
Resists chips, scratches and odors. Super tough stainless steel maintains a smooth surface so it won't snag or pill fabrics.

SteamClean Washer Option
A boost of steam penetrates deep into fabric fibers to lift out and eliminate ground-in dirt and set-in soils for a more thorough clean. Can be used with Normal, Whitest Whites and Heavy Duty cycles on select Performance Series washers.

Steam Dryer Cycles
Refresh a couple of items or a full load by using steam to relax wrinkles and remove odors from dry clothing.

Superior Vibration Control
Powered by Maytag® Commercial Technology, Bravos® washers deliver vibration control superior to any front load washer. The Smooth Balance™ suspension system features a reliable magnetic direct drive system, dual balance rings, four spring dampers and advanced balancing software to keep operation smooth. With minimized vibration, upper-floor installation is possible.

Timed Release Bleach System
Adds chlorine bleach during the last five minutes of the wash cycle for bright whites.

Timed Release Detergent System
Distributes laundry detergent by channeling water through the dispenser and spraying from the top, rather than the bottom, like other front load washers.

Variable Speed Motor
Extracts more water from clothes than a conventional washer by operating at a speed of up to 1,100 RPM.

Water Save Spray Rinse
For improved energy efficiency, this option minimizes water use during spinning by spraying the load instead of filling up the washer.

Wrinkle Prevent Option
The dryer continues to tumble after clothes are dry, without heat, to help prevent wrinkles from setting in.

Zinc-Coated Leveling Legs
Specially designed leveling legs minimize vibration during high washer spin speeds.

Accessories

Reinforced Hose

8212638RC: (2) 6′ Nylon Hoses with 90° Elbow
8212487RC: (2) 5′ Nylon Hoses
8212545RP: (2) 5′ Red & Blue EPDM Hoses
8212656RP: (2) 10′ Black EPDM Hoses

Better than stainless, Industrial-strength hoses safely and efficiently transport hot and cold water to the washer. Includes everything you need for easy installation.

Stacking Kit

8541503 (Performance Series laundry pair)
8572546 (EPIC z® laundry pair)

Conserve floor space by securely stacking your Performance Series or EPIC z® washer and dryer pair.

Drying Rack

W10121663 (Performance Series & EPIC z® dryers)
8577312A (Bravos® dryer)
3406839 (7.0 cu. ft. Centennial® dryer)
8212450A (7.4 cu. ft. Centennial® dryer)

It's the "no-tumble" solution for quietly and gently drying sneakers, sweaters, caps and more.

Washer Tray

8212526

Protect your floor from scuffs and spills. The washer tray fits underneath the washer and includes a drain fitting, washer and lock nut.

Dryer Vent Installer Kit

4396013RB

Lets the wall vent protrude up to 2-1/2" without having to be trimmed. This kit includes an extension collar with a 4-1/2" clearance, 4' vent section with a close elbow, 4' vent section that attaches to a wall offset and DuraSafe™ fittings.

Vent Cleaning Brush

4210463RW (Performance Series, EPIC z®, and Bravos® dryers)
8212614 (Centennial® dryers)

Extend dryer life, lower utility bills and reduce drying time by regularly and thoroughly removing lint with this cleaning brush.

LP Conversion Kit for Gas Dryers

8576846A (Performance Series & EPIC z® dryers)
49572 (Bravos® & Centennial® dryers)
3392235 (Stacked Pair MGT3800T)

Successfully hooks up your gas dryer to the available connection in your home.

Dryer Cords

PT220L: 4' 30 amp 3-prong
PT400L: 4' 30 amp 4-prong
PT600L: 6' 30 amp 4-prong

Safely connect your dryer to an electrical outlet using these dryer cords.

Affresh® Washer Cleaner
Affresh® Washer Cleaning Kit

W10135699/W10194073

Effectively remove odor-causing residue from your washer while cleaning mold and mildew stains, too. The Affresh® Washer Cleaner package includes 3 tablets. The Affresh® Washer Cleaning Kit includes 3 Power Puck™ tablets and 6 Grit Grabber™ cloths to help clean the rubber door seal.

Bravos® Laundry Specifications



Washer Models	MVWB300W	MVWB450W	MVWB750W	MVWB850W
Cycles				
Sanitary with Oxi				●
Power Wash		●	•	•
Heavy Duty	•	•	•	•
Whites	•	•	•	•
Bulky	•	•	•	•
Sheets	•	•	•	•
Normal	•	•	•	•
Colors/Towels	•	•	•	•
Rapid Wash		●	•	•
Hand Wash	•	•	•	•
Drain & Spin	•	•	•	•
Rinse & Spin	•	•	•	•
Soak		●	•	•
Clean Washer with Affresh® Washer Cleaner	•	•	•	•
Options				
Oxi Treat Stains				●
Clean Boost with Heater				●
Delay Start				●
MaxExtract™	•	•	•	•
Fabric softener	•	•	•	•
Extra rinse	•	•	•	•
Water Save Spray rinse		●	•	•
End-of-cycle signal	•	Adjustable	Adjustable	Adjustable
Dimensions				
Height (A)	44"	44"	44"	44"
Width (B)	28"	28"	28"	28"
Depth (C)	27"	27"	27"	27"
Height with lid open	58"	58"	58"	58"
Approximate shipping weight	165 lbs	165 lbs	165 lbs	165 lbs



Dryer Models	MEDB200V (Electric) MGDB200V (Gas)	MEDB400V (Electric) MGDB400V (Gas)	MEDB850W (Electric) / MGDB850W (Gas)
Cycles			
Rapid Refresh (steam cycle)			●
Custom Refresh (steam cycle)			●
Bulky			●
Heavy Duty	•	•	•
Normal	•	•	•
Wrinkle Control	•	•	•
Delicate	•	•	•
Timed Dry	•	•	•
Rapid Dry	•	•	•
Freshen Up	•	•	
Options			
Wrinkle Prevent Plus			●
Wrinkle Prevent	•	•	
Damp dry signal	•	•	•
Adjustable end-of-cycle signal	•	•	•
Dimensions			
Height (A)	44"	44"	44"
Width (B)	29"	29"	29"
Depth (C)	27-1/4"	29-1/4"	29-1/4"
Depth with door open	52-1/2"	52-1/2"	52-1/2"
Approximate shipping weight	Electric: 155.5 lbs Gas: 158.3 lbs	Electric: 153.5 lbs Gas: 156.3 lbs	Electric: 163.7 lbs Gas: 166.7 lbs

Blue/bold dot indicates step-up feature

Height dimensions will vary according to adjustment of leveling legs. Dimensions shown are for planning purposes only. See Installation Instructions packed with product for complete information.

Performance Series Laundry Specifications



Washer Models	MHWE300V	MHWE500V	MHWE900V
Cycles			
Sanitary	•		
Whitest Whites (steam cycle)	•	•	•
Heavy Duty (steam cycle)	•	•	•
Normal/Casual (steam cycle)	•	•	•
Quick Wash	•	•	•
Delicate	•	•	•
Wool			●
Handwash		●	•
Soak		●	•
Clean Washer	•	•	•
Rinse/Spin	•	•	•
Drain/Spin	•	•	•
Options			
Oxi Treat			●
Soak Time	•		
Steam Clean		●	•
MaxExtract™	•	•	•
Extra Rinse	•	•	•
Delay Start	•	•	•
End-of-cycle signal	•	•	•
Dimensions			
Height (A)	38"	38"	38"
Width (B)	27"	27"	27"
Depth (C)	31-1/2"	31-1/2"	32-9/16"
Approximate shipping weight	251 lbs	251 lbs	251 lbs



Dryer Models	MEDE300V (Electric) MGDE300V (Gas)	MEDE500V (Electric) MGDE500V (Gas)	MEDE900V (Electric) MGDE900V (Gas)
Cycles			
Rapid Refresh (steam cycle)		●	•
Custom Refresh (steam cycle)		●	•
Heavy Duty (sensor cycle)	•	•	•
Bulky Items (sensor cycle)		●	•
Normal (sensor cycle)	•	•	•
Casual (sensor cycle)	•		●
Delicate	•	•	•
Super Delicate	•		●
Sanitize		●	•
Quick Dry	•	•	•
Timed Dry	•	•	•
Options			
Drum light	•	•	•
Damp dry signal		●	•
Wrinkle Prevent	•	•	•
Touch Up	•		
End-of-cycle signal	•	•	•
Dimensions			
Height (A)	38"	38"	38"
Width (B)	27"	27"	27"
Depth (C)	31-1/2"	32-9/16"	32-9/16"
Approximate shipping weight	145.8 lbs	145.8 lbs	145.8 lbs

Blue/bold dot indicates step-up feature

Height dimensions will vary according to adjustment of leveling legs. Dimensions shown are for planning purposes only. See Installation Instructions packed with product for complete information.

EPIC z® Laundry Specifications



Washer Models	MHWZ400T	MHWZ600T
Cycles		
Sanitary		●
Whites	•	•
Super Wash	•	•
Normal	•	•
Rapid Wash	•	•
Delicate	•	•
Hand Wash		●
Spin Only	•	•
Rinse & Spin	•	•
Clean Washer	•	•
Options		
Prewash		●
Extra Rinse	•	•
MaxExtract™	•	•
Stain Cycle		●
Delay Wash	•	•
End-of-cycle signal	•	•
Dimensions		
Height (A)	36"	36"
Width (B)	27"	27"
Depth (C)	30-1/2"	30-1/2"
Approximate shipping weight	241.41 lbs	241.41 lbs



Dryer Models	MEDZ400T (Electric) MGDZ400T (Gas)	MEDZ600T (Electric) MGDZ600T (Gas)
Cycles		
Cotton/Towels (sensor dry)		●
Heavy Duty (sensor dry)	•	
Jeans (sensor dry)		●
Normal (sensor dry)	•	•
Wrinkle Control (sensor dry)	•	•
Delicate (sensor dry)	•	•
Rapid Dry (timed dry)		●
Freshen Up (timed dry)	•	•
Timed Dry	•	•
Options		
More/less time	•	•
Wrinkle Prevent	•	•
Dryness level (sensor dry)	•	•
End-of-cycle signal	•	•
Dimensions		
Height (A)	36"	36"
Width (B)	27"	27"
Depth (C)	28-9/10" – 32-9/10"	28-9/10" – 32-9/10"
Approximate shipping weight	139 lbs	139 lbs

Blue/bold dot indicates step-up feature

Height dimensions will vary according to adjustment of leveling legs. Dimensions shown are for planning purposes only. See Installation Instructions packed with product for complete information.

Centennial® Laundry Specifications

Washer Models	MVWC300V	MVWC400V	MVWC500V	MVWC700V	MVWC6ESW
Cycles					
Hand Wash Regular			•	•	
Hand Wash Regular with extra rinse			•	•	
Hand Wash					•
Hand Wash with extra rinse					•
Hand Wash Light			•	•	
Hand Wash Light with extra rinse			•	•	
Heavy Duty					•
Heavy Duty with extra rinse					•
Heavy Duty with fabric softener					•
Heavy Duty Comforters/Bedding					•
Heavy Duty Comforters/Bedding with extra rinse					•
Heavy Duty Comforters/Bedding with fabric softener					•
Normal Super Wash	•	•	•	•	
Normal Super Wash with extra rinse	•	•	•	•	
Normal Heavy	•	•	•	•	
Normal Heavy with extra rinse	•	•	•	•	
Normal Regular	•	•	•	•	
Normal Regular with extra rinse	•	•	•	•	
Normal Light				•	
Normal Light with extra rinse				•	
Normal Regular					•
Normal Regular with extra rinse					•
Normal Regular with fabric softener					•
Normal Express					•
Normal Express with extra rinse					•
Normal Express with fabric softener					•
Casual Regular	•	•	•	•	
Casual Regular with extra rinse	•	•	•	•	
Casual Light		•	•	•	
Casual Light with extra rinse		•	•	•	
Casual					•
Casual with extra rinse					•
Delicate Regular	•	•	•	•	
Delicate Regular with extra rinse	•	•	•	•	
Delicate					•
Delicate with extra rinse					•
Options					
Extra rinse	•	•	•	•	•
Soil level					•
End-of-cycle signal				•	•
Dimensions					
Height (A)	43"	43"	43"	43"	43"
Width (B)	26-7/8"	26-7/8"	26-7/8"	26-7/8"	26-7/8"
Depth (C)	25-1/2"	25-1/2"	25-1/2"	25-1/2"	25-1/2"
Approximate shipping weight	151 lbs	151 lbs	151 lbs	151 lbs	151 lbs



Blue/bold dot indicates step-up feature

Height dimensions will vary according to adjustment of leveling legs. Dimensions shown are for planning purposes only. See Installation Instructions packed with product for complete information.



Dryer Models	MEDC400V (Electric) MGDC400V (Gas)	MEDC500V (Electric) MGDC500V (Gas)	MEDC700V (Electric) MGDC700V (Gas)
Cycles			
Automatic Dry (high heat)	•		
Automatic Dry (low heat)	•		
Automatic Dry (high/low heat, very dry)	•		
Automatic Dry (high/low heat, energy preferred)	•		
Automatic Dry (high/low heat less dry)	•		
Timed Dry		**•**	•
Timed Dry (heavy dry)		**•**	•
Timed Dry (damp dry)			**•**
Timed Dry (freshen up)		**•**	•
Sensor Dry		**•**	•
Sensor Dry (jeans)		**•**	•
Sensor Dry (more dry)		**•**	•
Sensor Dry (energy preferred)		**•**	•
Sensor Dry (delicate)		**•**	•
Sensor Dry (less dry)		**•**	•
Air Fluff	•	•	•
Wrinkle Prevent	•	•	•
Options			
End-of-cycle signal	•		**•**
Wrinkle Prevent		**•**	•
Dimensions			
Height (A)	43"	43"	43"
Width (B)	29"	29"	27"
Depth (C)	27-13/16"	27-13/16"	29-1/4"
Approximate shipping weight	Electric: 124 lbs Gas: 132.5 lbs	Electric: 127 lbs Gas: 131 lbs	Electric: 127 lbs Gas: 131 lbs

Blue/bold dot indicates step-up feature

Height dimensions will vary according to adjustment of leveling legs. Dimensions shown are for planning purposes only. See Installation Instructions packed with product for complete information.

Specialty Laundry Specifications



Washer/Dryer
(ME/GT3800T)

Stacked Laundry Pair	ME/GT3800T
Washer Cycles	
Casual Regular	•
Casual Light	•
Normal Heavy	•
Normal Regular	•
Normal Light	•
Delicates Heavy	•
Delicates Regular	•
Delicates Light	•
Prewash	•
Dryer Cycles	
Sensor Dry (high/low heat, more dry)	•
Sensor Dry (high/low heat, energy preferred)	•
Sensor Dry (high/low heat, less dry)	•
Timed Dry	•
Timed Dry (freshen up)	•
Air Fluff	•
Dryer Options	
Wrinkle Prevent	•
Dimensions	
Height (A)	73"
Width (B)	27"
Depth (C)	32"
Depth with door open 90°	51-1/4"
Approximate shipping weight	Electric: 311-1/2 lbs Gas: 309-1/2 lbs



Washer
(MAH2400AW)

Washer Model	MAH2400AW
Cycles	
Rinse & Spin	•
Spin	•
Drain	•
Quick Wash	•
Heavy Duty	•
Normal	•
Colors	•
Wrinkle Control	•
Delicates	•
Handwash	•
Options	
Extra Rinse	•
Delay Start	•
Dimensions	
Height (A)	33-1/4"
Width (B)	23-3/4"
Depth (C)	24"
Depth with door open 90°	41-1/4"
Approximate shipping weight	175 lbs



Dryer
(MDE2400AY)

Dryer Model	MDE2400AY
Cycles	
Air Fluff	•
Damp Dry	•
Wrinkle Release	•
Normal/Auto Dry	•
Wrinkle Control	•
Delicates	•
Options	
Adjust Time	•
Wrinkle Prevent	•
Dimensions	
Height (A)	34"
Width (B)	23-1/2"
Depth (C)	23-3/4"
Depth with door open 90°	40"
Approximate shipping weight	130 lbs

Product Support & Warranty Information

Parts and Labor
For one (1) year from the original retail purchase date. See Use and Care Guide for details.

If You Need Service
First, see the Troubleshooting section in your Use and Care Guide, or call the dealer from whom your appliance was purchased.
Or, call Maytag Services LLC Customer Assistance at 1-800-462-9824 or 1-800-807-6777 (Canada) to locate an authorized servicer.

Customer Contact Information
Customers may call:
Maytag® Customer Service: 1-800-462-9824
Monday–Friday, 8 a.m.–8 p.m. (Eastern time)
Saturday, 10 a.m.–3 p.m. (Eastern time)

Height dimensions will vary according to adjustment of leveling legs. Dimensions shown are for planning purposes only. See Installation Instructions packed with product for complete information.

Notes

Built Strong to Last Long.

maytag.com

LAUNDRY 1-2-3 is a trademark of Whirlpool, U.S.A. AFFRESH is a registered trademark of Whirlpool, U.S.A. NSF is a registered trademark of NSF International.
®Registered trademark/™Trademark of Maytag Corporation or its related companies. ©2009. All rights reserved.
All other trademarks are owned by their respective companies. Form No. MMLL173. Printed in the U.S.A. 6/09.